

To help navigate the exciting content being presented at the 30th European Hematology Association (EHA) Congress, the Lymphoma Hub Steering Committee members have provided their recommendations for the top abstracts to look out for in lymphoma and CLL.

EHA 2025: Top abstracts in lymphoma and CLL

June 12-15, 2025

Thursday, June 12			
Abstract	Title	Speaker	Time (CEST)
S190 View	Cyclophosphamide is superior to methotrexate in previously untreated large granular lymphocyte leukemia. Final results of a prospective, multicentric, phase II randomized controlled trial CT01976182	Thierry Lamy	17:00-17:15
S191 View	The triple combination of venetoclax-ibrutinib- obinutuzumab prolongs progression-free survival compared to venetoclax-CD20-antibody combinations and chemoimmunotherapy in treatment-naive chronic lymphocytic leukemia: Final analysis from the phase 3 GAIA/CLL13 trial	Moritz Fürstenau	17:15–17:30
S225 View	Acimtamig (AFM13) in combination with AlloNK® (AB-101) in patients with relapsed or refractory classical Hodgkin lymphoma: Results from the dose finding phase of the LuminICE-203 phase 2 study	Amitkumar Mehta	17:00-17:15
S226 View	Long-term responses and late toxicities in advanced-stage Hodgkin lymphoma: A 10-year update of the HD0607 trial	Alessandro Cellini	17:15–17:30
S229 View	Elevated serum TARC after one cycle of BV-AVD correlates with adverse prognosis despite escalation to BrECADD in advanced stage Hodgkin lymphoma: Biomarker analysis from the EORTC-1537-COBRA trial	Sophie Teesink	18:00-18:15
S240 View	Prospective validation of end of treatment ctDNA-MRD BY PhaseD-Seq in DLBCL patients from a national HOVON trial	Martine Chamuleau	17:00-17:15
S241 View	Frail is not fail: Comorbidities do not affect non-relapse mortality and safety in patients with LBCL treated with CAR-T therapy	Eugenio Galli	17:15–17:30

Friday, June 13			
Abstract	Title	Speaker	Time (CEST)
S235 View	Long-term efficacy and survival outcomes with odronextamab for patients (pts) with relapsed/refractory follicular lymphoma (R/R FL): 2-year follow-up from the phase 2 ELM-2 study	Stefano Luminari	17:00-17:15
S236 View	A phase 1 study of KITE-363 anti-CD19/CD20 chimeric antigen receptor T-cell therapy in patients with relapsed/refractory B-cell lymphoma	Saurabh Dahiya	17:15–17:30
S237 View	Real-world effectiveness and safety outcomes among key subgroups of second-line (2L) axicabtagene ciloleucel (axi- cel) for patients with relapsed/refractory (R/R) large B-cell lymphoma (LBCL)	Dasom Lee	17:30–17:45
S238 View	High CD70 expression in newly diagnosed follicular lymphoma is linked to relapse and presents opportunities for dual CD19-CD70 CAR-T therapy	Maria Ros	17:45–18:00
S239 View	A global phase 1b study of JNJ-90014496, a CD19/CD20 bi-specific chimeric antigen receptor (CAR) T-cell therapy, in patients (pts) with relapsed/refractory (R/R) large B-cell lymphoma (LBCL)	Matthew Ku	18:00-18:15

Saturday, June 14			
Abstract	Title	Speaker	Time (CEST)
S101 View	Polatuzumab vedotin, rituximab, gemcitabine and oxaliplatin (Pola-R-GemOx) for relapsed/refractory (R/R) diffuse large B-cell lymphoma (DLBCL): Results from the randomized phase III POLARGO trial	Matthew Matasar	12:00-12:15
S104 View	Minor independent clones in patients with chronic lymphocytic leukemia have a CLL-biased biological signature: Implications for disease ontogeny and evolution	lan Márquez- López	12:45-13:00
S230 View	Tafasitamab (tafa) plus lenalidomide (len) and rituximab (R) for patients with relapsed or refractory follicular lymphoma (R/R FL): Results from the phase 3 inMIND study	Marek Trneny	17:15-17:30
S231 View	Updated efficacy & safety of the Bruton tyrosine kinase (BTK) degrader BGB-16673 in patients with relapsed/refractory Waldenström macroglobulinemia (WM): Ongoing phase (Ph) 1 CaDAnCe-101 study results	Anna Maria Frustaci	17:30-17:45
S232 View	MorningSun: Open-label phase II trial of the efficacy and safety of subcutaneous mosunetuzumab (Mosun SC) as frontline (1L) treatment in symptomatic patients with marginal zone lymphoma (MZL)	John M. Burke	17:45–18:00
S233 View	Efficacy of rituximab-bendamustine with or without acalabrutinib in patients with untreated, high-risk mantle cell lymphoma: An analysis of the phase 3 ECHO trial	Martin Dreyling	17:00-17:15
S234 View	Combination treatment with novel BCL2 inhibitor sonrotoclax (BGB-11417) and zanubrutinib induces high rate of complete remission for patients with relapsed/refractory mantle cell lymphoma	Raul Cordoba	18:00-18:15

Sunday, June 15			
Abstract	Title	Speaker	Time (CEST)
LB4003 View	Transcriptional reprogramming and survival co- dependencies of chronic lymphocytic leukemia resistant to venetoclax	Daisy Diaz Rohena	09:45–10:00
S155 View	Ibrutinib plus venetoclax with MRD-guided duration of treatment is superior to both continuous ibrutinib monotherapy and FCR for previously untreated CLL: Report of the phase III UK FLAIR study	Talha Munir	11:00-11:15
S156 View	Final analysis of fixed-duration ibrutinib + venetoclax for chronic lymphocytic leukemia (CLL)/small lymphocytic lymphoma (SLL) in the phase 2 CAPTIVATE study	Paolo Ghia	11:15-11:30
S158 View	Updated efficacy and safety of the Bruton tyrosine kinase (BTK) degrader BGB-16673 in patients (pts) with relapsed or refractory (R/R) CLL/SLL: Results from the ongoing phase (ph) 1 CaDAnCe-101 study	Lydia Scarfò	11:45–12:00
S159 View	Updated results from the phase 1 study of sonrotoclax (BGB-11417), a novel BCL2 inhibitor, in combination with zanubrutinib for relapsed/refractory CLL/SLL demonstrate deep and durable responses	Chan Cheah	12:00-12:15
S245 View	First disclosure of epcoritamab + R-ICE in patients with relapsed/refractory diffuse large B-cell lymphoma (R/R DLBCL) eligible for autologous stem cell transplantation (ASCT): EPCORE NHL-2	Raul Cordoba	11:00-11:15
S246 View	A pivotal study of SHR2554, an oral inhibitor against enhancer of zeste homolog 2 (EZH2), in relapsed or refractory (R/R) peripheral T-cell lymphoma (PTCL)	Yuqin Song	11:15-11:30
S247 View	Durable efficacy with fixed-duration epcoritamab + polatuzumab vedotin, rituximab, cyclophosphamide, doxorubicin, and prednisone (Pola-R-CHP) for 1L diffuse large b-cell lymphoma (EPCORE NHL-5)	Daniel Kerr	11:30-11:45
S248 View	Frontline phase II rituximab-polatuzumab-glofitmab (R-Pola-Glo) trial demonstrates a manageable safety profile and high response rates in elderly and medical unfit patients with aggressive lymphoma	Thomas Melchardt	11:45–12:00
S249 View	Excellent outcome with interim PET adapted treatment reduction in elderly DLBCL pts with favourable prognosis: Results of 288 pts treated in optimal>60 trial of the DSHNHL/GLA	Viola Pöschel	12:00-12:15
S280 View	Enhanced CAR T-cell expansion and durable complete responses with NKTR-255 plus lisocabtagene maraleucel in relapsed/refractory large B-cell lymphoma	Alexandre Hirayama	11:00-11:15
S281 View	Low rates of high-grade toxicities with GLPG5101, a fresh, stem-like, early memory phenotype anti-CD19 CAR T-cell therapy in patients with non-Hodgkin lymphoma in the ATALANTA-1 study	Pim G. N. J. Mutsaers	11:15–11:30

Posters			
Abstract	Title	Speaker	Time (CEST)
PF572 View	Measurable residual disease kinetics with fixed-duration acalabrutinib-venetoclax combinations in treatment-naive chronic lymphocytic leukemia: Data from the phase 3 AMPLIFY trial	Paolo Ghia	Friday, 18:30
PF869	PET-adapted therapy after three cycles of ABVD for all stages of Hodgkin lymphoma: Long-term follow-up of the GATLA LH-05 trial	Astrid	Friday,
View		Pavlovsky	18:30
PS1565 View	SEQUOIA 5-year follow-up in Arm C: Frontline zanubrutinib monotherapy in patients with del(17p) and treatment- naive chronic lymphocytic leukemia/small lymphocytic lymphoma (CLL/SLL)	Mazyar Shadman	Saturday, 18:30
PS1866	Real-world evidence of brentuximab vedotin (BV) consolidation after autologous transplant (ASCT) in relapsed/refractory Hodgkin lymphoma (RRHL): 2-year follow-up of GATLA RRHL study	Astrid	Saturday,
View		Pavlovsky	18:30
PS1870	PD-1-based salvage therapy for relapsed and refractory	Hishan	Saturday,
View	Hodgkin lymphoma: A multicenter real-world analysis	Tharmaseelan	18:30
PS1898 View	Patient-reported outcomes in patients with relapsed/ refractory follicular lymphoma treated with epcoritamab within the entire study cohort and in patients with symptoms at baseline	P. Connor Johnson	Saturday, 18:30
PS1909	Glofitamab plus gemcitabine and oxaliplatin (Glofit-GemOx) in patients with relapsed/refractory (R/R) diffuse large B-cell lymphoma (DLBCL): 2-year follow-up of STARGLO	Gareth	Saturday,
View		Gregory	18:30
PS1957	Updated safety run-in results from LOTIS-5: A phase 3, randomized trial of loncastuximab tesirine with rituximab versus immunochemotherapy in patients with R/R DLBCL/HGBL	Carmelo	Saturday,
View		Carlo-Stella	18:30
PS1968 View	Match-adjusted comparative analysis of epcoritamab + R-DHAX/C or R-ICE vs R-DHAX/C or R-ICE in 2L+ transplant-eligible patients with diffuse large B-cell lymphoma	Justin Darrah	Saturday, 18:30
PS2150	4-year update of phase 2 ELARA trial: Clinical outcomes of tisagenlecleucel in patients (pts) with high-risk relapsed/refractory follicular lymphoma (R/R FL)	Catherine	Saturday,
View		Thieblemont	18:30



#EHA2025

Follow us on X to keep up to date with the latest from the congress

@lymphomahub

